

Gaze-Based Signatures of Mind Wandering During Real-World Scene Processing

Kristina Krasich^a, Robert McManus^a, Stephen Hutt^b, Myrthe Faber^a,
Sidney K. D'Mello^{a,b}, and James R. Brockmole^a

^aDepartment of Psychology, University of Notre Dame, Notre Dame, IN

^bComputer Science and Engineering, University of Notre Dame, Notre Dame, IN

Physiological limitations on the visual system require gaze to move from location to location to extract the most relevant information within a scene. Therefore, gaze provides a real-time index of the information-processing priorities of the visual system. We investigated gaze allocation during mind wandering (MW), a state where cognitive priorities shift from processing task-relevant external stimuli (i.e., the visual world) to task-irrelevant internal thoughts. In both a main study and a replication, we recorded the eye movements of college-aged adults who studied images of urban scenes and responded to pseudo-random thought probes on whether they were mind wandering or attentively viewing at the time of the probe. Probe-caught MW was associated with fewer and longer fixations, greater fixation dispersion, and more frequent eye blinks (only observed in main study) relative to periods of attentive scene viewing. These findings demonstrate that gaze indices typically considered to represent greater engagement with scene processing (e.g., longer fixations) can also indicate MW. In this way, the current work exhibits a need for empirical investigations and computational models of gaze control to account for MW for a more accurate representation of the moment-to-moment information-processing priorities of the visual system.

Keywords: gaze control, scene perception, mind wandering, eye tracking

Vision is crucial for many everyday activities, such as reading and driving. Despite the importance of vision in our daily lives, we are limited in our moment-to-moment ability to obtain task-relevant information from the visual world. Physiological limitations on visual acuity along with parallel cognitive limitations on attention and memory force us to shift our eye gaze from location to location to construct a detailed and timely representation of the surrounding environment. The manner in which eye gaze is allocated within a scene, therefore, provides a real-time index of the information-processing

priorities of the visual system and the strategies employed by the mind and brain to sample information in service of ongoing goals. Because of this critical link between the eye, mind, and brain, over a century of research has used eye-tracking methods to investigate how people view their world (Wade & Tatler, 2005).

The control of gaze, and the resulting acquisition of visual information, is determined by two fundamental (but not entirely inseparable) decision processes. First, we must determine where we should look and, second, we must decide how long we should look there. This cycle of 'where-and-when' decisions repeats about 3-4 times per second as we view our surroundings and is influenced by a long and varied list of factors. For instance, in the context of scene processing, fixation point selection has been associated with local image statistics (e.g., Krieger, Rentschler, Hauske, Schill, & Zetzsche, 2000; Mannan, Ruddock, & Wooding, 1996; Parkhurst, Law, & Niebur, 2002), measures of visual salience and contiguity (e.g., Borji & Itti, 2013; Itti, Koch, & Niebur, 1998; Judd, Durand, & Torralba, 2012), short-term assessments of semantic interest (e.g., Buswell, 1935; Loftus & Mackworth, 1978), momentary task goals (e.g., Land & Hayhoe, 2001; Land & Lee, 1994; Yarbus, 1967), long-term

Portions of this research constituted a Senior Thesis by R.M. under the direction of J.R.B. at the University of Notre Dame. K.K., R.M., and J.R.B. designed the research; R.M. performed the research; S.H., M.F., and S.K.D. contributed analytic tools; K.K., R.M., and S.H. analyzed the data; K.K., R.M., S.H., M.F., S.K.D., and J.R.B. wrote the paper.

R.M. is now at North Dakota State University, S.H. and S.K.D. are now at the University of Colorado Boulder, M.F. is now at the Donders Institute for Brain, Cognition and Behaviour.

This research was supported by the National Science Foundation (NSF) (DRL 1235958 and IIS 1523091). Any opinions, findings and conclusions, or recommendations expressed in this paper are those of the authors and do not necessarily reflect the views of the NSF.

schematic knowledge of scene structure (e.g., Mandler & Johnson, 1977; Shinoda, Hayhoe, & Shrivastava, 2001; Vö & Henderson, 2009), and episodic memory for previously viewed scenes (e.g., Brockmole & Henderson, 2006; Castelano & Henderson, 2005). When considered in concert, these factors indicate what information in a scene is most likely to be relevant at a particular moment in time. Meanwhile, variation in fixation durations often reflects the quality of the available visual information (e.g., Najemnik & Geisler, 2005, 2009), the ease with which objects can be recognized and understood in context (e.g., Becker, Pashler, & Lubin, 2007; Bonitz & Gordon, 2008; Castelano & Henderson, 2007; Henderson & Castelano, 2005; Hollingworth, 2006; Underwood, Templeman, Lamming, & Foulsham, 2008), and the relevant goals and strategies of the observer (e.g., Neider & Zelinsky, 2006). Based on these effects, it is broadly thought that fixation durations reflect the effort needed to extract meaning from the regions of a scene that are selected for viewing.

Researchers have recently turned their efforts toward modeling how these factors, and their interactions, contribute to gaze control and, hence, the overt allocation of attention (e.g., Borji & Itti, 2013; Itti et al., 1998; Judd et al., 2012; Mackay, Cerf, and Koch, 2012; Nuthmann, Smith, Engbert, & Henderson, 2010; Tatler, Brockmole, & Carpenter, 2017; Torralba, Oliva, Castelano, & Henderson, 2006; Unema, Pannasch, Joos, & Velichkovsky, 2005; Wischnewski, Belardinelli, Schneider, & Steil, 2010). A fundamental, and often unspoken, assumption underlies this work: namely that people consistently and appropriately pay attention to their visual surroundings in service of task goals. However, our minds are not always engaged in task-relevant activities. People often fall prey to what is known as zoning out or *mind wandering* (MW) where attention drifts away from task-related thoughts to unrelated thoughts, such as lunch, childcare, or an upcoming trip. One large-scale study showed that among a group of 5,000 individuals from 83 countries working in 86 different occupations, people reported that around 47% of their thoughts were considered to be MW (Killingsworth & Gilbert, 2010), a rate substantiated in many laboratory-based studies that obtained MW rates in the 20-50% range depending on the nature of the task (see Smallwood & Schooler, 2015 for review). The negative behavioral effects of MW are pervasive; a recent meta-analysis of 88 adult samples showed clear negative correlations between MW and task performance (Randall, Oswald, & Beier, 2014). Given the high prevalence and consequence of MW, investigations into gaze control during scene

processing without reference to MW discounts a substantial portion of daily life and task performance, thus, obfuscating a comprehensive understanding of how the mind and brain sample the visual world. It is therefore critical that we begin to establish the relationship between eye movements and MW during visual tasks such as scene viewing.

MW can essentially be construed as a shift in one's attentional priorities from external stimuli to internal thoughts (Smallwood & Schooler, 2006). For instance, the visual P1 ERP component, which reflects early cortical processing of visual stimuli, decreases during MW in comparison to on-task attentional focus (Baird, Smallwood, Lutz, & Schooler, 2014; Kam et al., 2011; Smallwood, Beach, Schooler, & Handy, 2008). Conversely, activity within the default-mode network—the network of brain regions within the medial surface of the cortex that is active during stimulus-independent, internally focused thoughts (Buckner, Andrews-Hanna, & Schacter, 2008)—increases during MW (Christoff, Gordon, Smallwood, Smith, & Schooler, 2009; Mason et al., 2007). As the mind decouples from processing external stimuli, the attentional priorities of the visual system are likely to change, which may result in eye gaze patterns characteristic of MW. Specifically identifying gaze patterns unique to MW will reveal how the visual system reprioritizes external information when thoughts are directed inwards.

The possibility that gaze patterns during scene viewing may change during MW is supported by recent studies showing that certain aspects of gaze are correlated with MW during reading. For example, MW has been consistently associated with fewer fixations and longer fixation durations compared to periods of normal reading (Faber, Bixler, & D'Mello, 2017; Reichle, Reineberg, & Schooler, 2010; Uzzaman & Joordans, 2011). Some evidence also indicates that MW may be associated with more frequent eye blinks (Smilek, Carriere, & Cheyne, 2010; but also see Faber et al., 2017; Uzzaman & Joordans, 2011). Although correlational, these findings are consistent with a decoupling of gaze from the processing of external stimuli—fewer regions are sampled and incoming information is physically and cognitively blocked through frequent eye blinks (Gawne & Martin, 2000; Irwin, 2014; Thomas & Irwin, 2006; Volkman, 1986; Volkman et al., 1980).

It does not necessarily follow, however, that findings from reading will generalize to other tasks. Compared to the scale, variability, and density of information in the visual world at-large, reading involves a relatively sparse visual context that prescribes specific gaze patterns. The cognitive




Figure 1. A) Example trial sequence for the Study Phase. In this example, Trial 1 is a probe trial where participants are asked to report whether they are paying attention or “zoning out,” a colloquial term used for MW. Trials 11 and 12 are no-probe trials. B) Example trial sequence for the Test Phase. In this example, Trial 1 depicts a studied image, Trial 2 depicts a vignette extracted from a study image, and Trial 48 depicts a full sized foil image. C) Example pictures of studied and foil images.

demands associated with scene viewing and reading, therefore, vary considerably (Rayner, 2009; Rayner, Li, Williams, Cave, & Well, 2007; Rayner, Smith, Malcolm, & Henderson, 2009). As such, when attempting to account for the mechanisms underlying gaze control, reading and scene processing are modeled separately (Engbert, Nuthmann, Richter, & Kliegl, 2005; Mackay et al., 2012; Nuthmann et al., 2010; Reichle, Pollatsek, Fisher, & Rayner, 1998; Tatler, et al., 2017; Torralba et al., 2006; Unema et al., 2005; Wischnewski et al., 2010). Therefore, despite suggestive evidence from reading tasks, it remains unknown how MW and gaze control may be related during scene viewing, which motivated the present study.

We considered several aspects of gaze control in this study, starting with the number and duration of fixations. These temporal aspects of gaze control are associated with MW during reading (Faber et al., 2017; Reichle et al., 2010; Smilek et al., 2010; Uzzaman & Joordans, 2011), and it is natural to first ask if they similarly index MW during scene viewing. Next, we assessed fixation point selection. Because shifts in gaze during scene viewing are far less constrained than those during reading (Rayner, 2009), scene viewing provides a rich context within which possible associations between MW and the spatial aspects of gaze can be determined. Lastly, we analyzed the frequency of eye blinks to assess the relationship between cognitive factors of gaze control and MW in scene viewing (Gawne & Martin, 2000;

Irwin, 2014; Nakano, Yamamoto, Kitajo, Takahashi, Kitazawa, 2009; Thomas & Irwin, 2006; Volkman, 1986; Volkman, Riggs, & Moore, 1980).

To contrast gaze control when people mind wander vs. attend to scenes, we asked participants to study a series of digitized photographs of urban scenes for a subsequent recognition test (see **Figure 1**). We measured MW with pseudo-randomly distributed *thought probes* that prompted participants to report whether they were fully attending to the scene or mind wandering at the time of the probe (Smallwood & Schooler, 2006). Eye movements were recorded and used to compare gaze patterns during reported incidents of MW to those of attentive viewing. We focused on global aspects of gaze control that are independent of scene content to uncover relatively content-free shifts in oculomotor variables that could be used to predict the moment-to-moment prioritization of the visual system across varying viewing scenarios. This approach could facilitate the development of emerging initiatives aimed at implementing objective oculomotor determinants of MW to complement self-reports (e.g., Faber et al., 2017). Following the scene study phase, participants were tested on their memory using a two-alternative forced-choice recognition task that contained the twelve studied images, twelve unstudied images (foils), twelve vignettes extracted from the study images, and twelve vignettes extracted from the full size foils. Images were presented in a random order.

Methods

Participants

We established an a priori target sample size of 50 participants from a private, selective, Midwest university. To compensate for potential cancellations or technical difficulties, we over-recruited participants by 10%. This strategy yielded a final sample of 51 participants (M age = 19 years, SD = 1.1 years, female = 37). Informed consent was obtained from each participant, and the University Institutional Review Board approved all experimental procedures. Participants were compensated with course credit.

Stimuli and apparatus

The stimuli consisted of 24 digitized color photographs of real-world urban scenes displayed either in full at a resolution of 800 x 600 pixels or in part by extracting a smaller 200 x 200 pixel portion of the original images (vignettes). All stimuli were presented in 32-bit color on a 20-inch CRT monitor

with a screen refresh rate of 85 Hz and a resolution of 1024 x 768.

Participants' eye movements were sampled at a rate of 1,000 Hz using an EyeLink 2K tower mounted eye tracking system (SR Research, Inc.). A chin and forehead rest was used to maintain a viewing distance of 80 cm. The eye tracker was calibrated using a nine-point calibration at the beginning of the study. A one-point calibration was used before each trial to correct for subtle drift in the eye tracker signal over time. Responses were registered by pressing one of two keys on a standard QWERTY keyboard.

Design and Procedure

The study was divided into two phases. The first phase was the *study phase* (**Figure 1A**) and was composed of 12 trials. On each trial, participants were shown a full scene that they were to memorize for a test administered after the study phase. All participants viewed the same 12 scenes in a different pseudo-random order. Each scene was presented for a randomly selected duration between 45-75 s (M = 59.96 s, SD = 8.49 s). Eight trials were pseudo-randomly selected to include a thought probe: After the scene was cleared from the display, a text prompt asked participants to report whether they were mind wandering or paying attention at that moment. Specifically, participants were asked, "In the moments right before this message, were you paying attention to the picture or were you zoning out?" (Schooler, Reichle, & Halpern, 2004). *Zoning out* was used as a more colloquial term for MW and defined for participants at the start of the study as the act of "looking at the picture but thinking of something else entirely" unrelated to the scenes' content. Participants responded using a key press, which also initiated the next trial (on the four trials without a thought probe, the next trial began automatically).

The study phase was immediately followed by the *test phase* (**Figure 1B**). Participants completed a self-paced, two-alternative forced-choice recognition task that contained the twelve studied images, twelve unstudied images (foils), twelve vignettes extracted from the study images, and twelve vignettes extracted from the foils. In order to make the memory test non-trivial, study and foil images were subjectively matched in terms of location (e.g., city, architectural style, etc.), perspective (e.g., skylines, street views, etc.), and content (e.g., shop fronts, crowds, roadways, etc.). Examples are illustrated in **Figure 1C**. Stimuli were presented in a different random order for each participant. Eye movements were not recorded during the test phase.

Results

The results are divided into three sections. First, we discuss the frequency of reported MW. Then we validate these reports by demonstrating a negative relationship between MW and memory test performance. Finally, to address the primary research question, we discuss eye gaze behavior and its relationship with MW.

Incidence of MW and Correlations with Memory

On average, participants reported MW on 27% of probes ($SD = 22\%$), with eleven participants reporting no MW and one participant reporting MW for all eight probes. This rate of MW is within the range of rates reported during both laboratory studies and experience sampling studies in the real world (see Smallwood & Schooler, 2015 for review).

Memory performance for full-size images ($M = 98\%$, $SD = 4\%$) and vignettes ($M = 82\%$, $SD = 9\%$) were correlated, Spearman's $\rho = .613$, $p < .001$, and, thus, were combined to investigate the relationship between MW and scene memory. MW was negatively correlated with overall memory test performance ($M = 90\%$, $SD = 6\%$), Spearman's $\rho = -.306$, $p = .029$. Interestingly, MW was associated with lower test performance for foil images ($M = 88\%$, $SD = 8\%$), Spearman's $\rho = -.294$, $p = .036$, rather than studied images ($M = 92\%$, $SD = 7\%$), Spearman's $\rho = -.139$, $p = .332$. These findings suggest that MW might impair memory for visual detail even when overall gist memory remains intact and are consistent with accounts showing that MW is associated with a decoupling from external stimuli, whereby external visual information is deprioritized (see Schooler et al., 2011 for review), resulting in lower task performance (Mills, Graesser, Risko, & D'Mello, 2017).

Relationship Between MW and Gaze

We tested our main hypothesis that MW is associated with changes in gaze allocation that reflect a shift in information-prioritization of the visual system. Out of 612 total trials, we analyzed the 408 trials that included a thought probe. We compared gaze patterns on trials where participants reported MW (109 trials) to trials where participants reported attentive viewing of the scenes (299 trials). The dependent measures included the number, duration, and dispersion of fixations, the amplitude of saccades, and the frequency of eye blinks. Saccades were operationally defined as changes in recorded fixation position that exceeded 0.2° with either a velocity that exceeded $30^\circ/s$ or an acceleration that

exceeded $9,500^\circ/s^2$. For fixation-based analyses, fixations shorter than 50 ms (2% of fixations) and longer than 10,000 ms ($< .01\%$ of fixations) were excluded.

Each trial was divided into nine 5 s time windows with respect to the onset of the thought probe (i.e., 45-40 s before probe onset, 40-35 s before probe onset, etc.), which allowed us to study gaze-based correlates of MW over time. Within each window, average values for each gaze variable were computed. Using the *lme4* package in R (Bates, Mächler, Bolker, & Walker, 2015), we conducted mixed-effect linear regression analyses that modeled each gaze variable as a *probe response* (two levels: paying attention [reference group] and MW) by *time window* (nine levels with 5-0 s window as the reference group) interaction with *participant* as a random effect. *Image* (12 levels) was included as a fixed-effect covariate, as was *image viewing time* to account for content-specific shifts in eye movement patterns that are known to emerge over the course of viewing. For instance, gaze is often distributed broadly at first to extract the global spatial layout of the scene (e.g., Karpov, Luria, & Yarbus, 1968), before shifting to focal processing that is apt for object identification (Antes, 1974; Pannasch, Helmert, Roth, Herbold, & Walter, 2008; Tatler, Gilchrist, & Rusted, 2003; Unema et al., 2005; Velichkovsky, Joos, Helmert, & Pannasch, 2005).

Reported unstandardized coefficients (B) indicate the predicted change in the dependent variable for each unit increase in the predictor variables. Significance testing was conducted using two-tailed tests with α set to .05 (Bonferroni corrections were used on all post-hoc tests at $p < .006$; i.e., $.05/9$ time windows). Chi-square ratios and p -values are reported using the *car* package in R (Fox & Weisberg, 2011) using a Type II sum of squares to investigate the main effects of MW controlling for covariates. Coefficients and test statistics for each predictor are reported in the Appendix. Test statistics most relevant to assessing the relationship between eye movements and MW are reported in Table 1 and illustrated in Figure 2. In the presence of a significant probe response by time window interaction, only the interaction is reported and interpreted.

Number of fixations. Reports of MW were associated with fewer fixations ($M = 11.5$ fixations per time window, $SD = 3.95$) compared to reports of attentive viewing ($M = 13.1$ fixations per time window, $SD = 3.33$), an effect that varied across time windows, $\chi^2(8) = 23.4$, $p = .016$. Participants who reported MW made fewer fixations as time elapsed in the trial, with significantly detectable differences occurring as early as 20-25 s before the MW report.

Fixation Durations. MW was associated with longer fixation durations ($M = 357$ ms, $SD = 399$ ms) compared to reports of attentive viewing ($M = 320$ ms, $SD = 250$ ms), an effect that varied across time windows, $\chi^2(8) = 18.9$, $p = .015$, in that MW was associated with significantly longer fixation durations as time elapsed in the trial. Post hoc analyses indicated detectable differences in fixation duration as early as 10-15 s before the MW report.

Saccade Amplitude. Saccade amplitude (i.e., the distance between two consecutive fixations) was similar across trials with reported MW ($M = 2.73^\circ$, $SD = 2.93^\circ$) and attentive viewing ($M = 2.48^\circ$, $SD = 2.49^\circ$), $\chi^2(1) = .822$, $p = .365$. There was a marginal probe response and time window interaction, $\chi^2(8) = 13.5$, $p = .095$, however, post hoc analyses revealed no significant differences between MW and attentive viewing.

Fixation Dispersion. Fixation dispersion is a measure of the spatial extent or spread of fixations. It is computed as the root mean square of the Euclidean distance from each fixation to the average position of all fixations. Values are reported on a 0-1 scale with higher values indicating greater dispersion of fixations across the scenes. Reports of MW were associated with greater fixation dispersion ($M = .242$ per time window, $SD = .140$) compared to reports of attentive viewing ($M = .225$ per time window, $SD = .113$), although this relationship was marginal, $\chi^2(1) = 2.83$, $p = .093$, $B = .025$, $SE = .014$. There was also a marginal probe response by time window interaction, $\chi^2(8) = 13.4$, $p = .099$. Post hoc analyses indicated that fixation dispersion was significantly greater on MW trials within the 10-5 s time window and trending at the 5-0 s time window. Hence, fixation locations may become more dispersed about 5-10 s prior to reported MW.

Number of Blinks. Reports of MW were associated with more eye blinks ($M = 1.98$ blinks per time window, $SD = 1.65$) compared to reports of attentive viewing ($M = 1.77$ blinks per time window, $SD = 1.51$), $\chi^2(1) = 9.54$, $p = .002$, $B = .151$, $SE = .134$, an effect that was similar across time windows, $\chi^2(8) = 4.70$, $p = .789$. Thus, MW may be associated with higher blink rates, although this effect has less temporal precision than aforementioned aspects of gaze control.




Figure 2. Unstandardized coefficients (solid black line) and 95% confidence intervals (grey shaded region) for posthoc comparisons. * = significant at $p < .006$ after Bonferroni corrections.

Replication

To verify the eye movement patterns associated with MW, we performed a conceptual replication of our main study. We established an a priori target sample size of 40 participants from the same participant population as Experiment 1. Over-recruitment resulted in a final sample of 41 participants (M age = 21 years, $SD = 1.9$ years, female = 30). Participants viewed six sequentially presented images of urban scenes for 60 s each. Rather than divide the experiment into discrete trials, scenes were presented contiguously. Thought probes were presented at pseudo-random intervals of 90-120 s over the course of the scene viewing task so that each participant received three thought probes total. On average, participants reported MW on 47% of probes ($SD = 50\%$).

Table 1. Means, standard deviations, coefficients, and test statistics for the main experiment. Time Window = seconds prior to thought probe onset; * = significant at $p < .006$ with Bonferroni correction.

Time Window (s)	Mind wandering <i>M</i> (<i>SD</i>)	Attentive Viewing <i>M</i> (<i>SD</i>)	<i>B</i>	2.5% CI	97.5% CI	<i>p</i> -value	
Number of Fixations							
45-40	12.6 (3.68)	13.5 (3.26)	-.698	-1.43	.031	.064	
40-35	12.4 (3.43)	13.5 (3.18)	-.790	-1.48	-.100	.026	
35-30	12.1 (3.85)	13.2 (3.24)	-.820	-1.55	-.087	.029	
30-25	11.8 (3.89)	13.1 (3.16)	-.683	-1.41	.046	.064	
25-20	11.5 (3.91)	13.2 (3.29)	-1.12	-1.85	-.385	.002	*
20-15	11.3 (3.72)	13.1 (3.44)	-.976	-1.73	-.222	.011	
15-10	10.8 (3.96)	12.9 (3.38)	-1.66	-2.43	-.891	< .001	*
10-5	10.7 (4.11)	12.9 (4.32)	-1.81	-2.60	-1.03	< .001	*
5-0	10.3 (4.45)	12.4 (3.53)	-1.59	-2.41	-.779	< .001	*
Fixation Duration (ms)							
45-40	329 (324)	311 (236)	52.5	.098	105	.051	
40-35	327 (308)	313 (250)	28.3	-.64.2	121	.554	
35-30	335 (351)	315 (230)	80.8	2.14	159	.046	
30-25	342 (338)	319 (252)	50.5	-.34.5	135	.246	
25-20	368 (436)	323 (263)	122	-.4.76	248	.059	
20-15	359 (365)	317 (254)	57.5	-.39.3	154	.246	
15-10	381 (474)	325 (256)	173	81.0	265	< .001	*
10-5	392 (466)	326 (260)	154	75.7	233	< .001	*
5-0	391 (511)	332 (250)	225	94.3	355	.001	*
Saccade Amplitude (deg visual angle)							
45-40	2.81 (3.05)	2.55 (2.41)	.174	-.054	.402	.140	
40-35	2.86 (3.08)	2.52 (2.52)	.310	.071	.547	.011	
35-30	2.68 (2.78)	2.53 (2.62)	-.087	-.388	.216	.570	
30-25	2.61 (2.66)	2.45 (2.42)	-.093	-.357	.170	.493	
25-20	2.77 (2.86)	2.44 (2.52)	.205	-.036	.445	.095	
20-15	2.62 (2.64)	2.46 (2.47)	.083	-.162	.327	.512	
15-10	2.75 (3.08)	2.42 (2.44)	.356	.066	.644	.016	
10-5	2.80 (3.13)	2.43 (2.50)	.185	-.048	.417	.123	
5-0	2.69 (3.08)	2.49 (2.51)	-.089	-.402	.222	.579	
Fixation Dispersion [0 to 1]							
45-40	.232 (.139)	.219 (.088)	.013	-.010	.036	.284	
40-35	.224 (.136)	.223 (.113)	-.001	-.027	.025	.940	
35-30	.227 (.123)	.238 (.124)	-.008	-.036	.019	.560	
30-25	.230 (.097)	.218 (.115)	.012	-.013	.037	.348	
25-20	.249 (.143)	.220 (.115)	.021	-.008	.049	.150	
20-15	.240 (.136)	.234 (.131)	-.005	-.036	.025	.745	
15-10	.253 (.150)	.230 (.112)	.022	-.006	.050	.123	
10-5	.261 (.144)	.219 (.115)	.044	.018	.070	.002	*
5-0	.262 (.177)	.229 (.103)	.032	.004	.061	.030	
Number of Blinks							
45-40	1.92 (1.71)	1.61 (1.35)	.296	.015	.587	.042	
40-35	1.96 (1.64)	1.65 (1.59)	.200	-.113	.511	.217	
35-30	1.97 (1.47)	1.76 (1.55)	.180	-.097	.456	.210	
30-25	1.92 (1.76)	1.84 (1.56)	.002	-.287	.291	.989	
25-20	2.09 (1.71)	1.76 (1.54)	.254	-.060	.568	.119	
20-15	2.06 (1.83)	1.81 (1.52)	.132	-.160	.423	.382	
15-10	1.93 (1.61)	1.82 (1.42)	.096	-.169	.362	.483	
10-5	1.95 (1.61)	1.79 (1.48)	.051	-.243	.345	.735	
5-0	2.06 (1.50)	1.87 (1.56)	.255	-.029	.539	.083	




Figure 3. A summary of the gaze patterns associated with MW and the time at which changes in patterns are observed.

As in the main experiment, eye movements were parsed into 5 s time windows with respect to the onset of the thought probe. The contiguous presentation of scenes coupled with the revised scene presentation times, limited our analyses to the 30 s before probe onset. For analysis, we used the *lme4* package in R (Bates et al. 2015) to compute linear mixed-effect regression models for each gaze variable in the same manner as the main experiment, with two changes. First, given that we were more restricted in terms of the time windows available for analysis, we only explored main effects and, thus, we did not include the probe response by time window interaction in the models. Second, because participants completed this scene task within a battery of other randomly ordered tasks falling outside the scope of this report (e.g., listening, reading, and problem solving), we included *task order* as a categorical fixed-effect covariate in the models.

The main effects associated with number of fixations, fixation duration, and fixation dispersion were replicated as was the lack of an effect for saccade amplitude. Specifically, reports of MW were associated with fewer fixations ($M = 13.8$ fixations per time window, $SD = 4.83$) compared to reports of attentive viewing ($M = 16.0$, $SD = 3.51$), $\chi^2(1) = 8.58$, $p = .003$, $B = -1.16$, $SE = .394$. Reports of MW were also associated with longer fixation durations ($M = 278$ ms, $SD = 401$ ms) compared to reports of attentive viewing ($M = 266$ ms, $SD = 164$ ms), $\chi^2(1) = 4.47$, $p = .035$, $B = 35.3$, $SE = 16.7$. As before, saccade amplitude was similar across trials with reported MW ($M = 3.84$, $SD = 4.01$) compared to attentive viewing ($M = 3.82$, $SD = 3.88$), $\chi^2(1) = .085$, $p = .770$. Although the increase in fixation dispersion

for MW reports was only marginal in the main experiment, reports of MW in the replication were associated with significantly greater fixation dispersion ($M = .449$, $SD = .090$) compared to reports of attentive viewing ($M = .436$, $SD = .092$), $\chi^2(1) = 8.98$, $p = .003$, $B = .033$, $SE = .011$. As in the main study, blink rates were numerically greater in reported cases of MW ($M = 2.03$, $SD = 1.53$) compared to attentive viewing ($M = 1.58$, $SD = 1.41$); however, this difference was not significant in the replication study, $\chi^2(1) = .292$, $p = .589$, a point we will return to in the General Discussion.

Taken together, the results of the replication study provide clear evidence for important links between MW and gaze control.

General Discussion

We investigated the relationship between MW and eye gaze in the context of scene viewing. Specifically, this research focused on global aspects of gaze control that could be used to predict the moment-to-moment prioritization of the visual system across changing attentive states. The rate of reported MW echoed other laboratory and real-world investigations (Smallwood & Schooler, 2015), showing a relatively stable propensity to MW across task contexts (Kane et al., 2007; McVay, Kane, & Kwapil, 2009). MW was associated with impaired memory test performance, which supports accounts that external visual information is deprioritized during MW (e.g., Schooler et al., 2011; Smallwood et al., 2008). As such, MW was marked by gaze patterns that reflect the reprioritization of the visual system (**Figure 3**). For instance, MW was associated with fewer and longer fixations as early as 25-20 s

prior to probe onset. There was also evidence that fixation locations became more dispersed during MW, with a signal detectable roughly 10-5 s prior to reported MW. Lastly, in the main experiment MW was associated with more frequent eye blinks, although this finding lacked temporal precision. Collectively, the current research demonstrates gaze-based indicators of MW, which reflect real-time changes in the prioritization of the visual system.

The temporal aspects of gaze control (i.e., number and duration of fixations) were the most reliable correlates of MW during scene viewing. Our finding that MW was associated with fewer fixations and longer fixation durations complements work that has examined the associations between gaze and MW while reading (Reichle et al., 2010; Smilek, Carriere, & Cheyne, 2010; Uzzaman & Joordans, 2011). Although gaze control parameters often differ across reading and scene viewing (Rayner, 2009; Rayner et al., 2007, 2009), the consistent results across these two task contexts suggest a common mechanism that reprioritizes the visual system as external information is deprioritized (Baird et al., 2014; Kam et al., 2011; Smallwood et al., 2008) and attention to task-irrelevant thoughts is amplified during MW (Christoff et al., 2009; Mason et al., 2007).

The shifts in the temporal aspects of gaze control associated with MW also have broader implications for theories of scene processing. Fixation durations, for example, are often used to identify transitory priorities of the visual system (e.g., Henderson & Pierce, 2008), with longer fixations commonly associated with a more thorough evaluation of visual information because of either low quality input or high cognitive demand (e.g., Henderson & Choi, 2015; Nuthmann et al., 2010). However, this interpretation is challenged by our results because MW, a state associated with a shift of attentional priorities away from external stimuli (Baird, et al., 2014; Kam et al., 2011; Smallwood, et al., 2008; Smallwood & Schooler, 2006), is also associated with longer fixations. It seems puzzling, then, that a single behavioral marker (prolonged fixation durations) may indicate both greater and lesser engagement with scene processing. This apparent paradox may be resolved, however, if we reconsider the theoretical interpretation often ascribed to fixation duration.

In particular, it has recently been proposed that fixation durations may reflect the time needed for the visual system to evaluate the benefits of maintaining a fixation against the benefits of acquiring information from other regions of the scene (Tatler, Brockmole, & Carpenter, 2017). As the benefits of maintaining fixation rise, so too does fixation duration. In situations defined by high perceptual or

cognitive load, more thorough visual processing may be necessary and, as such, the benefits of maintaining fixation would increase. In the context of MW, as thoughts turn inward and attention decouples from external stimuli, visual processing may become less efficient and the visual system may more slowly encode and evaluate information at each fixated location. The benefits of maintaining fixation, therefore, may hold for longer periods of time, thus, increasing fixation duration. Indeed, past research has suggested that visual and cognitive processing difficulty can delay or even cancel saccade initiation, thereby resulting in prolonged fixation durations (Nuthman et al., 2010; Vergilino-Perez, Collins, & Doré-Mazars, 2004; Yang & McConkie, 2001). Future investigations and models of gaze control need to account for the more complex relationship between MW, fixations, and visual processing than has been previously hypothesized to obtain a more complete understanding of the moment-to-moment information-processing priorities of the visual system.

In addition to the temporal aspects of gaze, we also considered the relationship between MW and the spatial aspects of gaze (i.e., saccade amplitude and fixation dispersion), which are less constrained in scene viewing than in reading, and, hence, of great interest in the scene processing literature. Indeed, the current work suggests that fixation point selection during scene viewing is associated with MW. Not only did observers make fewer fixations during periods of MW, the dispersion of their fixations tended to increase. This suggests that the decrease in gaze samples was not randomly distributed throughout the scenes, but instead reflected a shift in sampling strategy. However, whether this shift reflects a global, context-free bias or a change in the degree to which content-dependent factors (e.g., visual salience, semantic content, etc.) affect gaze cannot be discerned from the present study. In fact, our results contrast with some work indicating that MW is associated with a narrowing in the dispersion of gaze within the context of driving (He, Becic, Lee, & McCarley, 2011). In driving simulators, prior to self-caught reports of MW, drivers have been shown to reduce their propensity to horizontally scan the environment, suggesting that MW can entail a failure to more broadly scan or monitor the visual world. This contrast suggests that while MW similarly affects the temporal dimensions of gaze across contexts, changes in the spatial allocation of gaze may vary across tasks.

Finally, we found that in the main experiment MW was associated with an increase in blink rate, a result that is also consistent with one study

Table 2. Pearson Correlation coefficient matrix for gaze behaviors and MW across 10 s window

	Fixation Durations	Saccade Amplitude	Fixation Dispersion	Number of Blinks	Mind Wandering
Number of Fixations	-.784	.073	-.262	.114	-.235
Fixation Duration	-	-.157	.195	-.412	.179
Saccade Amplitude		-	-.020	.163	.051
Fixation Dispersion			-	-.052	.093
Number of Blinks				-	.055

Note. Not all time windows contained a fixation for each participant, thus, sample size varied slightly between variables.

investigating MW during reading (i.e., Smilek, Carriere, & Cheyne, 2010). Eye blinks are known to physically block and cognitively suppress incoming information (Gawne & Martin, 2000; Irwin, 2014; Thomas & Irwin, 2006; Volkman, 1986; Volkman et al., 1980) and are implicitly timed to minimize the probability of missing critical information (Nakano et al., 2009). Thus, our main experiment suggests that the implicit timing of blinks can systematically shift during MW, reducing the rate at which visual information is extracted. That said, a statistically significant effect of MW on blink rate was not found in the replication study. In fact, other reading-based studies have also not observed significant increases in blink rate associated with MW (Faber et al., 2017; Uzzaman & Joordens, 2011). Hence, the inconsistency within our own research mirrors inconsistencies apparent in the literature. Considered collectively, although the pattern of results suggests an increase in blink rate during MW, the finding should be considered tentative due to replication failures.

In addition to the theoretical implications of our work, identifying aspects of gaze control that are unique to MW in the context of scene viewing has several potential practical applications. For example, our results suggest that it may be possible to use gaze behaviors to detect MW in real-time within a variety of real-world contexts. Such detection could enable automated interventions that reorient attention to ongoing tasks (D’Mello, Mills, Bixler, & Bosch, 2017). To explore which of these gaze behaviors account for unique variance in MW, and how their combinations could be used to best detect MW, we conducted an exploratory linear mixed-effect logistic regression analysis in which we attempted to predict responses to the MW probes from gaze features collected in the main study. This model focused on the 10 s period preceding the thought probe, as it was within this window that fixation number, fixation duration, fixation dispersion, and blink rate were all associated with MW (see **Figure 3**). The model failed

to converge when the number and duration of fixations were both included, likely due to the fact that they were strongly correlated (see **Table 2**). To compensate, we restricted our fixed-effect factors to the observed number of fixations, fixation dispersion, and number of blinks (scene viewing time was included as a fixed-effect covariate). We found that the number of fixations, $F(1, 743) = 22.6, p < .001, B = -.120$, followed by the number of blinks, $F(1, 743) = 4.74, p = .030, B = .175$, were the most robust predictors of MW. Fixation dispersion marginally predicted MW, $F(1, 743) = 2.56, p = .110, B = 1.27$. To more fully explore the marginal contribution of fixation dispersion, we computed a second model that excluded number of fixations (as it was correlated with fixation dispersion). In this case, fixation dispersion was a significant predictor of MW, $F(1, 744) = 12.1, p < .001, B = 2.52$. Collectively, these findings suggest that, when multiple gaze behaviors are considered in concert, the frequency of fixations and blinks account for unique variance in MW, although there is some evidence to suggest that fixation dispersion may nevertheless be a useful measure in this regard. These findings can serve as an important springboard for future research exploring the potential uses of real-time gaze-based detection of MW in applied contexts.

In conclusion, gaze allocation provides a real-time index of information-processing priorities of the visual system. The current research established global gaze-based indicators of MW during scene processing that reveal a reprioritization of the visual system similar (in some ways) to what has been found during reading, suggesting a common mechanistic shift unique to MW. These findings pose a challenge, however, for our current understanding of gaze control as computational models of gaze do not account for off-task attentional states such as MW. Lastly, these findings provide estimation for when gaze-based indices of MW can be reliably detected, which can be used to develop objective measures of MW during scene viewing.

References

- Antes, J. R. (1974). The time course of picture viewing. *Journal of experimental psychology*, 103(1), 62-70.
- Baird, B., Smallwood, J., Lutz, A., & Schooler, J. W. (2014). The decoupled mind: mind-wandering disrupts cortical phase-locking to perceptual events. *Journal of Cognitive Neuroscience*, 26(11), 2596-2607.
- Bates, D., Mächler, M., Bolker, B., & Walker, S. (2015). Fitting linear mixed-effects models using lme4. *Journal of Statistical Software*, 67(1).
- Beatty, J. (1982). Task-evoked pupillary responses, processing load, and the structure of processing resources. *Psychological Bulletin*, 91(2), 276-292.
- Becker, M. W., Pashler, H., & Lubin, J. (2007). Object-intrinsic oddities draw early saccades. *Journal of Experimental Psychology: Human Perception and Performance*, 33(1), 20.
- Bonitz, V. S., & Gordon, R. D. (2008). Attention to smoking-related and incongruous objects during scene viewing. *Acta psychologica*, 129(2), 255-263.
- Borji, A., & Itti, L. (2013). State-of-the-art in visual attention modeling. *IEEE transactions on pattern analysis and machine intelligence*, 35(1), 185-207.
- Brisson, J., Mainville, M., Mailloux, D., Beaulieu, C., Serres, J., & Sirois, S. (2013). Pupil diameter measurement errors as a function of gaze direction in corneal reflection eyetrackers. *Behavior research methods*, 45(4), 1322-1331.
- Brockmole, J. R., & Henderson, J. M. (2006). Recognition and attention guidance during contextual cueing in real-world scenes: Evidence from eye movements. *The Quarterly Journal of Experimental Psychology*, 59(7), 1177-1187.
- Buckner, R. L., Andrews-Hanna, J. R., & Schacter, D. L. (2008). The brain's default network. *Annals of the New York Academy of Sciences*, 1124(1), 1-38.
- Buswell, G. T. (1935). *How people look at pictures: a study of the psychology and perception in art*. Chicago: University of Chicago Press.
- Castelhano, M., & Henderson, J. (2005). Incidental visual memory for objects in scenes. *Visual Cognition*, 12(6), 1017-1040.
- Castelhano, M. S., & Henderson, J. M. (2007). Initial scene representations facilitate eye movement guidance in visual search. *Journal of Experimental Psychology: Human Perception and Performance*, 33(4), 753-763.
- Christoff, K., Gordon, A. M., Smallwood, J., Smith, R., & Schooler, J. W. (2009). Experience sampling during fMRI reveals default network and executive system contributions to mind wandering. *Proceedings of the National Academy of Sciences*, 106(21), 8719-8724.
- D'Mello, S. K., Mills, C., Bixler, R., & Bosch, N. (2017). Zone out no more: Mitigating mind wandering during computerized reading. In X. Hu, T. Barnes, A. Hershkovitz & L. Paquette (Eds.), *Proceedings of the 10th International Conference on Educational Data Mining* (pp. 8-15): International Educational Data Mining Society.
- Engbert, R., Nuthmann, A., Richter, E. M., & Kliegl, R. (2005). SWIFT: a dynamical model of saccade generation during reading. *Psychological Review*, 112(4), 777-813.
- Faber, M., Bixler, R., & D'Mello, S. K. (2017). An automated behavioral measure of mind wandering during computerized reading. *Behavior Research Methods*, 1-17.
- Franklin, M. S., Broadway, J. M., Mrazek, M. D., Smallwood, J., & Schooler, J. W. (2013). Window to the wandering mind: pupillometry of spontaneous thought while reading. *The Quarterly Journal of Experimental Psychology*, 66(12), 2289-2294.
- Gawne, T. J., & Martin, J. M. (2000). Activity of primate V1 cortical neurons during blinks. *Journal of Neurophysiology*, 84(5), 2691-2694.
- Gilzenrat, M. S., Nieuwenhuis, S., Jepma, M., & Cohen, J. D. (2010). Pupil diameter tracks changes in control state predicted by the adaptive gain theory of locus coeruleus function. *Cognitive, Affective, & Behavioral Neuroscience*, 10(2), 252-269.
- Grandchamp, R., Braboszcz, C., & Delorme, A. (2014). Oculometric variations during mind wandering. *Frontiers in Psychology*, 5, 31. doi: 10.3389/fpsyg.2014.00031
- He, J., Becic, E., Lee, Y. C., & McCarley, J. S. (2011). Mind wandering behind the wheel: performance and oculomotor correlates. *Human Factors*, 53(1), 13-21.
- Henderson, J. M., & Castelano, M. S. (2005). Eye movements and visual memory for scenes. In G. Underwood (Ed.), *Cognitive processes in eye guidance* (pp. 213-235). New York: Oxford University Press.
- Henderson, J. M., & Choi, W. (2015). Neural correlates of fixation duration during real-world scene viewing: evidence from fixation-related (FIRE) fMRI. *Journal of Cognitive Neuroscience*, 27(6), 1137-1145.
- Henderson, J. M., & Pierce, G. L. (2008). Eye movements during scene viewing: Evidence for mixed control of fixation durations. *Psychonomic Bulletin & Review*, 15(3), 566-573.

- Hess, E. H., & Polt, J. M. (1964). Pupil size in relation to mental activity during simple problem-solving. *Science*, *143*(3611), 1190-1192.
- Hollingworth, A. (2006). Scene and position specificity in visual memory for objects. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, *32*(1), 58.
- Irwin, D. E. (2014). Short-term memory across eye blinks. *Memory*, *22*(8), 898-906.
- Itti, L., Koch, C., & Niebur, E. (1998). A model of saliency-based visual attention for rapid scene analysis. *IEEE Transactions on pattern analysis and machine intelligence*, *20*(11), 1254-1259.
- Judd, T., Durand, F., & Torralba, A. (2012). A benchmark of computational models of saliency to predict human fixations. Technical report, MIT-CSAIL-TR-2012-001.
- Kahneman, D., & Beatty, J. (1966). Pupil size and load on memory. *Science*, *154*(3756), 1583-1585.
- Kahneman, D., Tursky, B., Shapiro, D., & Crider, A. (1969). Pupillary, heart rate, and skin resistance changes during a mental task. *Journal of Experimental Psychology*, *79*, 164-167.
- Kam, J. W., Dao, E., Farley, J., Fitzpatrick, K., Smallwood, J., Schooler, J. W., & Handy, T. C. (2011). Slow fluctuations in attentional control of sensory cortex. *Journal of Cognitive Neuroscience*, *23*(2), 460-470.
- Kane, M. J., Brown, L. H., McVay, J. C., Silvia, P. J., Myin-Germeys, I., & Kwapil, T. R. (2007). For whom the mind wanders, and when: An experience-sampling study of working memory and executive control in daily life. *Psychological Science*, *18*(7), 614-621.
- Karpov, B. A., Luria, A. R., & Yarbuss, A. L. (1968). Disturbances of the structure of active perception in lesions of the posterior and anterior regions of the brain. *Neuropsychologia*, *6*(2), 157-166.
- Killingsworth, M. A., & Gilbert, D. T. (2010). A wandering mind is an unhappy mind. *Science*, *330*(6006), 932-932.
- Krieger, G., Rentschler, I., Hauske, G., Schill, K., & Zetsche, C. (2000). Object and scene analysis by saccadic eye-movements: an investigation with higher-order statistics. *Spatial Vision*, *13*(2), 201-214.
- Land, M. F., & Hayhoe, M. (2001). In what ways do eye movements contribute to everyday activities?. *Vision Research*, *41*(25), 3559-3565.
- Land, M. F., & Lee, D. N. (1994). Where we look when we steer. *Nature*, *369*(6483), 742-744.
- Loftus, G. R., & Mackworth, N. H. (1978). Cognitive determinants of fixation location during picture viewing. *Journal of Experimental Psychology: Human Perception and Performance*, *4*(4), 565.
- Mackay, M., Cerf, M., & Koch, C. (2012). Evidence for two distinct mechanisms directing gaze in natural scenes. *Journal of Vision*, *12*(4), 9-9.
- Mandler, J. M., & Johnson, N. S. (1977). Remembrance of things parsed: Story structure and recall. *Cognitive Psychology*, *9*(1), 111-151.
- Mannan, S. K., Ruddock, K. H., & Wooding, D. S. (1996). The relationship between the locations of spatial features and those of fixations made during visual examination of briefly presented images. *Spatial Vision*, *10*(3), 165-188.
- Mason, M. F., Norton, M. I., Van Horn, J. D., Wegner, D. M., Grafton, S. T., & Macrae, C. N. (2007). Wandering minds: the default network and stimulus-independent thought. *Science*, *315*(5810), 393-395.
- McVay, J. C., Kane, M. J., & Kwapil, T. R. (2009). Tracking the train of thought from the laboratory into everyday life: An experience-sampling study of mind wandering across controlled and ecological contexts. *Psychonomic Bulletin & Review*, *16*(5), 857-863.
- Mills, C., Graesser, A., Risko, E. F., & D'Mello, S. K. (2017). Cognitive coupling during reading. *Journal of Experimental Psychology: General*, *146*(6), 872-883.
- Najemnik, J., & Geisler, W. S. (2005). Optimal eye movement strategies in visual search. *Nature*, *434*(7031), 387-391.
- Najemnik, J., & Geisler, W. S. (2009). Simple summation rule for optimal fixation selection in visual search. *Vision Research*, *49*(10), 1286-1294.
- Nakano, T., Yamamoto, Y., Kitajo, K., Takahashi, T., & Kitazawa, S. (2009). Synchronization of spontaneous eyeblinks while viewing video stories. *Proceedings of the Royal Society of London B: Biological Sciences*, *276*, 3635-3644.
- Neider, M. B., & Zelinsky, G. J. (2006). Scene context guides eye movements during visual search. *Vision research*, *46*(5), 614-621.
- Nuthmann, A., Smith, T. J., Engbert, R., & Henderson, J. M. (2010). CRISP: a computational model of fixation durations in scene viewing. *Psychological Review*, *117*(2), 382-405.
- Pannasch, S., Helmert, J. R., Roth, K., Herbold, A. K., & Walter, H. (2008). Visual fixation durations and saccade amplitudes: Shifting relationship in a variety of conditions. *Journal of Eye Movement Research*, *2*(2), 1-19.
- Parkhurst, D., Law, K., & Niebur, E. (2002). Modeling the role of salience in the allocation of overt visual attention. *Vision Research*, *42*(1), 107-123.
- Randall, J. G., Oswald, F. L., & Beier, M. E. (2014). Mind-wandering, cognition, and performance: A

- theory-driven meta-analysis of attention regulation. *Psychological Bulletin*, 140(6), 1411-1431.
- Rayner, K. (2009). Eye movements and attention in reading, scene perception, and visual search. *The Quarterly Journal of Experimental Psychology*, 62(8), 1457-1506.
- Rayner, K., Li, X., Williams, C. C., Cave, K. R., & Well, A. D. (2007). Eye movements during information processing tasks: Individual differences and cultural effects. *Vision Research*, 47(21), 2714-2726.
- Rayner, K., Smith, T. J., Malcolm, G. L., & Henderson, J. M. (2009). Eye movements and visual encoding during scene perception. *Psychological Science*, 20(1), 6-10.
- Reichle, E. D., Pollatsek, A., Fisher, D. L., & Rayner, K. (1998). Toward a model of eye movement control in reading. *Psychological Review*, 105(1), 125-157.
- Reichle, E. D., Reineberg, A. E., & Schooler, J. W. (2010). Eye movements during mindless reading. *Psychological Science*, 21(9), 1300-1310.
- Schooler, J. W., Reichle, E. D., & Halpern, D. V. (2004). Zoning-out during reading: Evidence for dissociations between experience and meta-consciousness. In D. T. Levin (Ed.), *Thinking and seeing: Visual metacognition in adults and children* (pp. 204-226). Cambridge, MA: MIT Press.
- Schooler, J. W., Smallwood, J., Christoff, K., Handy, T. C., Reichle, E. D., & Sayette, M. A. (2011). Meta-awareness, perceptual decoupling and the wandering mind. *Trends in Cognitive Sciences*, 15(7), 319-326.
- Shinoda, H., Hayhoe, M. M., & Shrivastava, A. (2001). What controls attention in natural environments?. *Vision Research*, 41(25), 3535-3545.
- Smallwood, J., Beach, E., Schooler, J. W., & Handy, T. C. (2008). Going AWOL in the brain: Mind wandering reduces cortical analysis of external events. *Journal of Cognitive Neuroscience*, 20(3), 458-469.
- Smallwood, J., Brown, K. S., Tipper, C., Giesbrecht, B., Franklin, M. S., Mrazek, M. D., & Schooler, J. W. (2011). Pupillometric evidence for the decoupling of attention from perceptual input during offline thought. *PLoS One*, 6(3), e18298.
- Smallwood, J., & Schooler, J. W. (2006). The restless mind. *Psychological Bulletin*, 132(6), 946.
- Smallwood, J., & Schooler, J. W. (2015). The science of mind wandering: empirically navigating the stream of consciousness. *Annual Review of Psychology*, 66, 487-518.
- Smilek, D., Carriere, J. S., & Cheyne, J. A. (2010). Out of mind, out of sight eye blinking as indicator and embodiment of mind wandering. *Psychological Science*, 21(6), 786-789.
- Tatler, B. W., Brockmole, J. R., & Carpenter, R. H. S. (2017). LATEST: A Model of Saccadic Decisions in Space and Time. *Psychological Review*, 124, 267-300
- Tatler, B. W., Gilchrist, I. D., & Rusted, J. (2003). The time course of abstract visual representation. *Perception*, 32(5), 579-592.
- Thomas, L. E., & Irwin, D. E. (2006). Voluntary eyeblinks disrupt iconic memory. *Perception & Psychophysics*, 68(3), 475-488.
- Torralba, A., Oliva, A., Castelano, M. S., & Henderson, J. M. (2006). Contextual guidance of eye movements and attention in real-world scenes: the role of global features in object search. *Psychological Review*, 113(4), 766.
- Tremblay, A., & Ransijn, J. (2015). Package 'LMERConvenienceFunctions'.
- Underwood, G., Templeman, E., Lamming, L., & Foulsham, T. (2008). Is attention necessary for object identification? Evidence from eye movements during the inspection of real-world scenes. *Consciousness and Cognition*, 17(1), 159-170.
- Unema, P. J., Pannasch, S., Joos, M., & Velichkovsky, B. M. (2005). Time course of information processing during scene perception: The relationship between saccade amplitude and fixation duration. *Visual Cognition*, 12(3), 473-494.
- Uzzaman, S., & Joordens, S. (2011). The eyes know what you are thinking: eye movements as an objective measure of mind wandering. *Consciousness and Cognition*, 20(4), 1882-1886.
- Velichkovsky, B. M., Joos, M., Helmert, J. R., & Pannasch, S. (2005, July). Two visual systems and their eye movements: Evidence from static and dynamic scene perception. In *Proceedings of the XXVII conference of the cognitive science society* (pp. 2283-2288).
- Vergilino-Perez, D., Collins, T., & Doré-Mazars, K. (2004). Decision and metrics of refixations in reading isolated words. *Vision Research*, 44(17), 2009-2017.
- Võ, M. L. H., & Henderson, J. M. (2009). Does gravity matter? Effects of semantic and syntactic inconsistencies on the allocation of attention during scene perception. *Journal of Vision*, 9(3), 24-24.
- Volkman, F. C. (1986). Human visual suppression. *Vision research*, 26(9), 1401-1416.
- Volkman, F. C., Riggs, L. A., & Moore, R. K. (1980). Eyeblinks and visual suppression. *Science*, 207(4433), 900-902.

Wade, N., & Tatler, B. W. (2005). *The moving tablet of the eye: The origins of modern eye movement research*. Oxford University Press, USA.

Wischnewski, M., Belardinelli, A., Schneider, W. X., & Steil, J. J. (2010). Where to look next? Combining static and dynamic proto-objects in a TVA-based model of visual attention. *Cognitive Computation*, 2(4), 326-343.

Yang, S. N., & McConkie, G. W. (2001). Eye movements during reading: A theory of saccade initiation times. *Vision Research*, 41(25), 3567-3585.

Yarbus, A. L. (1967). *Eye movements during perception of complex objects*. New York: Plenum Press.

Appendix: Coefficients for all variables in the main experiment

Number of Fixations	Fixation Duration		B	SE
	B	SE		
Intercept	13.8	.523	352	64.7
Probe Response: MW	-1.43	.352	198	45.6
Time Window: 45-40 s	1.08	.252	-43.8	32.7
Time Window: 40-35 s	1.10	.253	-21.4	32.7
Time Window: 35-30 s	.818	.253	-33.5	32.7
Time Window: 30-25 s	.731	.252	-24.4	32.7
Time Window: 25-20 s	.786	.253	-3.56	32.7
Time Window: 20-15 s	.708	.253	-8.97	32.7
Time Window: 15-10 s	.517	.253	-21.3	32.7
Time Window: 10-5 s	.478	.252	-12.6	32.7
Image2	.244	.266	24.6	34.4
Image3	-.671	.278	31.3	36.0
Image4	-.906	.274	46.8	35.5
Image5	-.249	.257	91.0	33.2
Image6	.283	.271	4.85	35.1
Image7	-.180	.284	-4.14	36.7
Image8	-.417	.269	31.5	34.8
Image9	-.595	.267	55.0	34.5
Image10	-.511	.263	36.1	34.0
Image11	-.281	.258	54.0	33.4
Image12	.412	.285	34.2	36.9
ViewTime	-.023	.007	.084	.856
MW * Time Window 45-40 s	1.24	.491	-172	63.3
MW * Time Window 40-35 s	1.05	.490	-202	63.3
MW * Time Window 35-30 s	1.04	.491	-164	63.3
MW * Time Window 30-25 s	.793	.490	-175	63.2
MW * Time Window 25-20 s	.402	.488	-87.2	63.5
MW * Time Window 20-15 s	.289	.489	-120	63.6
MW * Time Window 15-10 s	-.072	.489	-50.0	63.5
MW * Time Window 10-5 s	-.128	.488	-60.7	63.6

Saccade Amplitude

Fixation Dispersion

	<i>B</i>	<i>SE</i>		<i>B</i>	<i>SE</i>
Intercept	2.82	.189	Intercept	.216	.018
Probe Response: MW	-.076	.124	Probe Response: MW	.025	.014
Time Window: 45-40 s	-.007	.089	Time Window: 45-40 s	-.010	.010
Time Window: 40-35 s	-.032	.089	Time Window: 40-35 s	-.006	.010
Time Window: 35-30 s	.024	.089	Time Window: 35-30 s	.009	.010
Time Window: 30-25 s	-.049	.089	Time Window: 30-25 s	-.012	.010
Time Window: 25-20 s	-.100	.089	Time Window: 25-20 s	-.009	.010
Time Window: 20-15 s	-.099	.089	Time Window: 20-15 s	.005	.010
Time Window: 15-10 s	-.177	.089	Time Window: 15-10 s	.001	.010
Time Window: 10-5 s	-.150	.089	Time Window: 10-5 s	-.011	.010
Image2	-.034	.094	Image2	.008	.010
Image3	-.155	.098	Image3	-.010	.011
Image4	-.203	.097	Image4	.014	.010
Image5	-.038	.090	Image5	.023	.010
Image6	.069	.095	Image6	-.000	.010
Image7	-.281	.100	Image7	-.006	.011
Image8	-.235	.095	Image8	.014	.010
Image9	-.088	.094	Image9	.001	.010
Image10	-.031	.093	Image10	.015	.010
Image11	-.077	.091	Image11	.009	.010
Image12	-.181	.100	Image12	-.003	.011
ViewTime	.002	.002	ViewTime	.000	.000
MW * Time Window 45-40 s	.093	.172	MW * Time Window 45-40 s	-.020	.019
MW * Time Window 40-35 s	.186	.172	MW * Time Window 40-35 s	-.033	.019
MW * Time Window 35-30 s	-.048	.172	MW * Time Window 35-30 s	-.044	.019
MW * Time Window 30-25 s	-.103	.172	MW * Time Window 30-25 s	-.020	.019
MW * Time Window 25-20 s	.146	.173	MW * Time Window 25-20 s	.005	0.019
MW * Time Window 20-15 s	.162	.173	MW * Time Window 20-15 s	-.025	.019
MW * Time Window 15-10 s	.420	.173	MW * Time Window 15-10 s	-.009	.019
MW * Time Window 10-5 s	.223	.173	MW * Time Window 10-5 s	.012	.019

Number of Blinks

	<i>B</i>	<i>SE</i>
Intercept	1.37	.229
Probe Response: MW	.151	.134
Time Window: 45-40 s	-.259	.096
Time Window: 40-35 s	-.221	.096
Time Window: 35-30 s	-.108	.096
Time Window: 30-25 s	-.029	.096
Time Window: 25-20 s	-.106	.096
Time Window: 20-15 s	-.059	.096
Time Window: 15-10 s	-.046	.096
Time Window: 10-5 s	-.072	.096
Image2	.089	.102
Image3	.141	.106
Image4	.220	.105
Image5	.146	.098
Image6	.160	.104
Image7	.034	.108
Image8	-.034	.103
Image9	.011	.101
Image10	.088	.100
Image11	.250	.098
Image12	.109	.109
ViewTime	.007	.003
MW * Time Window 45-40 s	.103	.186
MW * Time Window 40-35 s	.111	.186
MW * Time Window 35-30 s	.006	.186
MW * Time Window 30-25 s	-.128	.186
MW * Time Window 25-20 s	.151	.187
MW * Time Window 20-15 s	.015	.187
MW * Time Window 15-10 s	-.121	.187
MW * Time Window 10-5 s	-.075	.187